

2017 - 2018

# PRODUCT CATALOG



**PRO-TECH®**

snopusher.com



Pro-Tech. Built to humble Mother Nature.





## Table of Contents

- 4 Pro-Tech Story
- 6 The Pro-Tech Value
- 8 Product Review
- 10 Product Showroom
- 12 Rubber Edge
- 14 Steel Edge
- 16 Pullback
- 18 Foldout
- 20 Super Duty
- 22 What's New From Pro-Tech
- 24 Low Profile Angle
- 26 V Plow
- 28 Turf Pusher
- 30 Parts and Specialty Parts
- 32 Custom Sno Pusher Options
- 33 Additional Products
- 36 Pro-Tech Gear
- 38 Product Specifications





# Pro-Tech Story

**In the summer of 1991, Pro-Tech's founder Mike Weagley began a small welding and fabrication business out of his parent's garage in Rochester, NY. In time, that same company would become the creator of the Sno Pusher and ultimately, North America's largest manufacturer of containment plows.**

That legacy continues today with our commitment to innovate and build the most durable, long lasting snowplows that do the job right. It's no coincidence that many of our plows are still being used twenty years after they're made.

At Pro-Tech, we live and breathe winter all year round; creating new products, building inventory, and delivering on our promise to provide you with the best the industry has to offer.

**Pro-Tech. Built to humble Mother Nature.**

**[snopusher.com](http://snopusher.com)**

**(844) 204-8211**

Mike Weagley  
Pro-Tech Founder







GAVIN CLARK, OPERATOR  
A.P. Enterprises

# The Pro-Tech Value

Although the Sno Pusher was introduced to the market over 20 years ago, Pro-Tech has never stopped working to craft the perfect containment plow.

We stand behind each Sno Pusher with pride, service and a commitment to you, backed by the warranty promise with every single product sold. That’s why all of our standard Sno Pusher models come with an unprecedented 10 year limited warranty.

We use only the best materials and proven processes to make our Sno Pushers. We know you won’t settle for products that aren’t built as tough as you are. So, if you keep pushing snow, we’ll keep striving to build the best containment plows on the market.

AN INDUSTRY LEADING  
**10 YEAR WARRANTY**  
ON ALL PRO-TECH SNO PUSHERS

INCREASE PRODUCTIVITY  
OVER CONVENTIONAL BLADES OR BUCKETS

**500%**

INCREASE YOUR PROFIT  
ONE SNO PUSHER DOES THE WORK OF

**4 TRUCKS**

CUSTOMER SATISFACTION  
FOR PRODUCTS IS AT AN ALL TIME HIGH OF

**96%**



# Product Overview

## 1. PREMIUM STEEL

Pro-Tech uses the highest quality steel that meets the chemistry specifications as intended by the manufacturer. This ensures each Sno Pusher will be as durable and dependable as you need it to be.

## 2. FULLY WELDED

Some of our competitors cut corners and stitch weld their products but at Pro-Tech, every Sno Pusher is fully welded, ensuring strength and durability. It also reduces corrosion from the inside out saving you time and money.

## 3. SBR RUBBER

It's the Angus Beef of rubber. Pro-Tech uses SBR extruded rubber, which is made out of the highest quality ingredients. With a durometer of 65 and a 2000 PSI tensile strength it is the perfect blend of hardness, flexibility, and durability.

## 4. TOUGH WEAR SHOES

Pro-Tech shoes are abrasion and impact resistant and through-hardened, which allows for consistent wear over the entire life of the shoe.

## 5. HIGH QUALITY PAINT

Pro-Tech uses the highest quality primers and paints on all of our Sno Pusher products. These coatings are at least 4 mil thick, and are qualified using a one thousand hour salt spray test.

## 6. REINFORCED CHASSIS

While some competitors chassis are made primarily out of cut or bent sheet metal, Pro-Tech uses reinforced structural steel channels to provide maximum structural strength.



VISIT [SNOPUSHER.COM/PRODUCTIVITY-STUDY](https://snopusher.com/productivity-study) TO DOWNLOAD OUR PRODUCTIVITY STUDY



## FIND OUT WHY TO USE PRO-TECH

VISIT THE “WHY PRO-TECH” SECTION AT [SNOPUSHER.COM](https://snopusher.com) AND FIND OUT WHY THOUSANDS OF SNOW MANAGEMENT COMPANIES IN NORTH AMERICA CHOOSE TO USE PRO-TECH.



# RUBBER EDGE

SNO PUSHER



Since its introduction 20 years ago, the Rubber Edge Sno Pusher by Pro-Tech has been the most popular containment plow in the industry. The rubber edge has the perfect combination of hardness, stiffness, and flexibility to clear snow on a variety of surfaces.

- Most versatile unit, can be used on multiple surface types
- Easy to operate and maintain
- Surfaces sensitive to steel edges

# STEEL EDGE

SNO PUSHER



Our Steel Edge Sno Pushers are excellent at removing hard pack snow. Parking lots that get a lot of traffic are great sites for the Steel Edge to shine. The ability to easily remove hard pack can also result in savings of both time and money by lessening the need to apply salt or chemicals.

- Ideal for asphalt surfaces with hardpack snow and ice
- Pivoting wear shoes allow for aggressive scraping when required
- Unique poly hinge design offers more durability and less maintenance than some competitive containment plows.

# SUPER DUTY

SNO PUSHER



The Super Duty Sno Pusher is the largest containment plow in the industry and is best paired with larger prime movers (4+ yd bucket capacity). While very popular among airports and distribution centers the Super Duty Sno Pusher can also be used in construction or agricultural applications.

- Use on large prime movers (4+ yard bucket capacity)
- Popular at airport and distribution centers
- Can find second use in moving grain, wastewater, and aggregate
- Industry's biggest containment plow - up to 57 yd capacity

# LOW PROFILE ANGLE

SNO PUSHER



The Rubber Edge Low Profile Angle Sno Pusher has a height of 30" for clearing under fifth wheel pins under parked trailers or other obstacles. The offset design (18' wide moldboard with a 15.6' plowing width) enables up to 6' of reach under trailers.

- Low profile allows for clearance of fifth wheel pins under parked trailers
- Offset design has potential for 6' of reach under trailers
- Windrowing
- Efficiently discharges snow

# PULLBACK

SNO PUSHER



The Pullback Sno Pusher lets an operator 'pull' snow away from loading docks, doors and other tight spaces that traditionally had to be cleared with a truck plow, or even a shovel! With the 'pulling' functionality, a Sno Pusher becomes even more versatile on a job site.

- Pullback edge pulls snow away from tight places
- Surfaces sensitive to steel edges
- Can decrease or even eliminate the need to shovel in tight spaces

# FOLDOUT

SNO PUSHER



The Foldout Sno Pusher allows for easy navigation of properties that have many obstacles. In addition, the Foldout provides operators with a "road-friendly" Sno Pusher that can be used on multiple sites during the course of a winter event.

- Folds to 8'6" for transport
- Drivable from site to site
- Easy manual folding (hydraulic option available)

# V PLOW

SNO PUSHER



The V Plow Sno Pusher is the perfect solution for clearing sidewalks and is used by many municipalities. The V Plow has the classic "V" shape to split and windrow snow clearly off sidewalks.

- Clear snow from sidewalks and pathways
- Design splits and windrows snow
- Robust construction allows for miles of municipal sidewalk clearing

# TURF PUSHER

SNO PUSHER



This lightweight but durable plow smoothly glides over natural and artificial playing fields with minimal disruption to the surface. The Turf Pusher contains and stacks snow and allows customers to keep their playing fields open all year round.

- Clear snow from natural and artificial playing fields and field covers
- For artificial turf the Turf Pusher clears snow with minimal disruption of crumb rubber
- Eliminates game or practice delays caused by snow
- Pin-on coupler allows for multiple connection options



# RUBBER EDGE

SNO PUSHER

 VISIT [YOUTUBE.COM/PRO-TECHMFG](https://www.youtube.com/pro-techmfg)  
TO SEE THIS PRODUCT IN ACTION



AVAILABLE FOR:     

## SAME QUALITY. NEW CONNECTION.

This season Pro-Tech will be offering a Rubber Edge Sno Pusher specifically designed for use with Compact Wheel Loaders.

Visit page 23 for more details.



SKIDSTEER MODEL



LOADER MODEL

SEE FULL PRODUCT SPECS ON PAGE 38

## PRODUCT FEATURES

### THE ORIGINAL SNO PUSHER

The one that started it all. Considered by many to be the most popular containment plow in North America, the Rubber Edge Sno Pusher revolutionized the industry when it was first introduced in 1993.

This model features Pro-Tech Rubber, which is not only extremely durable but also versatile and allows contractors to tackle multiple types of surfaces.

- Perfect for most types of snowfall
- Works great on surfaces sensitive to steel edges
- Easy to operate and maintain
- Wear shoes are hardened, abrasion & impact resistant

### RIGHT SHOES. RIGHT JOB.

Pro-Tech offers several wear shoe options to help tackle certain types of properties. Visit the "Parts" section of [Snopusher.com](https://www.snopusher.com) to find out what options are available for your Sno Pusher.

- Super Duty Shoes - Double the longevity of standard shoes
- Self Leveling Shoes - Help maintain a level pushing position
- Poly shoes (UHMW) - Perfect for sensitive surfaces

### EXTEND YOUR EDGE

The rubber cutting edge on your Sno Pusher can be reversed and flipped as it wears, giving the customer a total of 4 edges that can be used for snow clearance.

### INDUSTRY LEADING WARRANTY

# 10 YEARS



# PRODUCT FEATURES

## A PERFECT SOLUTION FOR HEAVY TRAFFIC HARD PACK

The Steel Edge Sno Pusher effectively attacks asphalt surfaces, especially those that are covered in hard pack snow and ice. Unlike other steel edge containment plows that have complicated trip edges, the Sno Pusher has minimal moving parts and uses a corrosion resistant polyurethane hinge instead of metal springs or levers.

- Allows for easy removal of hard pack snow and ice
- Pivoting wear shoes and sectioned cutting edge contour to surface
- Poly trip edge provides for smooth tripping action
- Poly hinge is chemical and salt resistant

## NO LIMITATIONS ON STACKING OR SPEED

Customers can push and stack snow confidently thanks to the robust design of the Steel Edge Sno Pusher.

## BREAK UP HARDPACK WITHOUT BREAKING THE BANK

Many competitive steel edge containment plows on the market consist of complicated parts and offer in some cases more “bells and whistles” than what is required to get the job done. The Steel Edge Sno Pusher is a containment plow that offers simplicity, performance, all at a reasonable retail price.

“I love the Steel Edge Sno Pusher. I personally run it. Its pushing and scraping capabilities are incredible.”

Jeff Grasteit  
Grasteit’s Landscape Construction Design




VISIT [STEELSNOPUSHER.COM](http://STEELSNOPUSHER.COM)  
FOR MORE INFORMATION

# STEEL EDGE

SNO PUSHER



## WEAR SHOE/CUTTING EDGE PROFILE:



1. The cutting edge works in tandem with the poly suspension and pivoting wear shoes to improve scraping capabilities. The blue poly hinge is significantly cheaper to maintain and can have a much longer life than the standard springs, levers, and other components found on competitor plows.

2. The poly suspension flexes as down pressure is applied.

3. Pivoting wear shoes help conform to uneven surfaces.

SEE FULL PRODUCT SPECS ON PAGE 38

AVAILABLE FOR:



LOADER MODEL



SKIDSTEER MODEL



# PULLBACK

SNO PUSHER



AVAILABLE FOR: 



## A KIT TO CONVERT

Pro-Tech offers customers a kit to convert their skidsteer Rubber Edge Sno Pusher into a Pullback model. Ask your local dealer for more information.



## BECOME A SNO FIGHTER

Get recognized for the important role you play within your community and sign up to be named Sno Fighter of the Week. Visit [SnoFighter.com](https://SnoFighter.com) to find out more.

## PRODUCT FEATURES

### PULLBACK OR PUSH FORWARD

The Pullback Sno Pusher relieves the challenges and frustrations of clearing snow away from hard-to-reach places.

This versatile model can operate as a Rubber Edge Sno Pusher but with one quick change of position, address tight areas that a standard containment plow cannot.

In addition, the Pullback Sno Pusher can save customers time and money by lessening the need to shovel or operating smaller equipment in tight areas.

- Pulling snow away from loading docks, doors, and other tight areas
- Uses Pro-Tech Rubber-requires the use of pure compounds resulting in longer wear life
- Surfaces sensitive to steel edges
- Safe on all conditions

### IT'S BETTER INSIDE



The Pullback Sno Pusher lessens and can even eliminate the time required to shovel in hard-to-reach areas resulting in savings of both time and labor.

### THE PULLBACK'S NEW FEATURE

The Pullback Sno Pusher now comes with an additional containment guard, which allows customers to contain more snow when in the "pullback" position.

The guard can also be purchased separately for those customers that have previous Pullback models.



# PRODUCT FEATURES

## READY TO MOVE

Driving a large Sno Pusher from site-to-site can be difficult and even costly if you are ticketed for an oversized-load.

The Foldout Sno Pusher eliminates those fears by folding to 8'6" which is road legal in most areas. In addition, the Foldout model is perfect for properties that contain many obstacles such as gates, bollards, and narrow wall passages.

- Folds to 8'6" for easy transit
- Eliminates the risk of receiving wide-load tickets
- Ideal for properties that are difficult to maneuver
- Hinge system allows for easy folding of the wings
- Uses Pro-Tech Rubber-requires the use of pure compounds resulting in longer wear life

## ONE UNIT FOR MULTIPLE LOTS

The Foldout Sno Pusher eliminates the need for multiple Sno Pushers across different properties by making it easy for operators to travel from lot to lot during a snow event.

## HYDRAULIC OPTION AVAILABLE. SNO PUSHER COMES STANDARD WITH HYDRAULIC MOUNTS.

Visit [YouTube.com/ProTechmfg](https://www.youtube.com/ProTechmfg) to watch a video on how to install the hydraulic kit.



**NO WIDE LOAD TICKETS.**

## OFF-SEASON MAINTENANCE

During the off-season make sure that your Sno Pusher is stored in a flat, dry area away from high grass, which can grow around the unit and cause corrosion.

SEE FULL PRODUCT SPECS ON PAGE 38

# FOLDOUT

SNO PUSHER



AVAILABLE FOR:



PUSHING POSITION



TRANSPORT POSITION



# SUPER DUTY

SNO PUSHER



VISIT [SNOPUSHER.COM](https://www.snopusher.com)  
FOR HELPFUL VIDEOS ON SNO PUSHER  
PERFORMANCE, MAINTENANCE, & MORE.



AVAILABLE FOR:



## DOUBLE THE DURABILITY

The Super Duty Sno Pusher features additional bracing on the connection (1), sideplates (2), and cutting edge (3) to handle the forces of the industry's most powerful wheel loaders.



## PROTECT YOUR EDGE

Whether on a property during the winter or in off-season storage, make sure the cutting edges on your Sno Pusher are not exposed to direct sunlight. Extensive exposure to sunlight can prematurely wear the cutting edge on Rubber Edge Sno Pushers and the poly hinge on Steel Edge Sno Pushers.

## PRODUCT FEATURES

The Super Duty Sno Pusher is the Goliath of containment plows. With the largest model 30' feet in width and able to contain up to 57 yards of snow, the Super Duty Sno Pusher is ideal for larger equipment (4+ yard bucket capacity).

It can also find a second use in construction or agricultural applications.

- 19-57 yard capacity
- Works great on very large properties such as airports and distribution centers
- Can find second use in moving grain, wastewater, aggregate, etc.
- Comes with Super Duty Wear Shoes made from Quard 550®
- Stands over 5 ft tall
- 2" x 12" cutting edge

## THE FACTS

The Super Duty stands 5 feet tall, can weigh up to 4 tons, and contain 35% more snow than our Rubber Edge loader models.

MAX SNOW CAPACITY

**57 YARDS**



SEE FULL PRODUCT SPECS ON PAGE 38

[snopusher.com](https://www.snopusher.com)

Pro-Tech Manufacturing



## THE SNO BLADE



## FOR COMPACT WHEEL LOADERS



### INNOVATION WITH AN EDGE

- Valuable stand alone tool or for use in assisting containment plows
- Blade pivots left or right 30 degrees to windrow snow
- The ACTIVE Coupler pivots at the center to conform to surface irregularities
- Built using heavy gauge materials and structural steel
- 3 Year Limited Warranty



### BABY'S GOT BACK

- The first containment plow designed specifically for use with compact wheel loaders.
- Reinforced universal quick coupler designed using a unique compact wheel loader chassis, Built with the strength and endurance to be used with heavier and more powerful equipment.
- Available in 8, 10, and 12 foot sizes to meet a wide variety of property sizes and compact wheel loader types.
- Features industry leading Pro-Tech extruded rubber and abrasion and impact resistant wear shoes.
- Backed with our 10 year limited warranty.



# PRODUCT FEATURES

## GET LOW & CLEAR SNOW UNDER SEMI-TRUCK TRAILERS


The Low Profile Angle Sno Pusher is a specialized model that allows customers to clear snow underneath parked trailers and other hard-to-reach areas.

The ability to windrow with the Low Profile Angle Sno Pusher can also be useful in situations where dispersing snow to the side is required.

- Allows for clearance of fifth wheel pins under parked trailers
- Offset design has potential for 6' of reach under trailers
- 30 degree angle efficiently discharges snow
- Can be used for windrowing

“During the first storm we not only cleared under trailers at an extremely fast rate, but we used it for all roadways in the complex. We cut our equipment and labor usage by more than 50%!”

Steve Wagner,  
Wagner Landscaping



VISIT [SNOPUSHER.COM](http://SNOPUSHER.COM)  
TO ACCESS OUR DEALER LOCATOR AND  
FIND OUT WHO CARRIES PRO-TECH SNO  
PUSHERS CLOSEST TO YOU.

# LOW PROFILE <sup>ANGLE</sup>

SNO PUSHER



## LOOK AT YOUR SHOES:

Pro-Tech wear shoes are the most durable in the industry but will eventually need to be changed.

It's recommended that shoes worn at or below 1/4" should be replaced. Running shoes that are worn too thin can potentially damage your Sno Pusher.



AVAILABLE FOR:  



# V PLOW

SNO PUSHER



"Thank you Pro-Tech for your professionalism, prompt accommodating service, superior product, and commitment to 100% total customer satisfaction"

Sean Fico  
AP Enterprises



AVAILABLE FOR:



STAY INFORMED:

Visit [snopushernews.com](http://snopushernews.com) to subscribe to our newsletter and stay informed with the latest product announcements, maintenance tips and tricks, contests, and much more.

## PRODUCT FEATURES

### A CLEAR SPLIT

The V Plow Sno Pusher is the perfect solution for clearing sidewalks. It comes in 40", 48", 60", 72", widths and is a hit with municipalities and their sidewalk crews. The V Plow has the classic "V" shape to split and windrow snow cleanly off of sidewalks. The four standard sizes come complete with a universal quick coupler.

- Clear snow from sidewalks and pathways
- Minimal moving parts and maintenance
- High quality primer and paint
- Windrow snow
- 10 Year Warranty

### CLEAR SIDEWALKS WITH CONFIDENCE

The V Plow's fully welded robust chassis allows customers to cut into deep snow that often accumulates on sidewalks and pathways without concern of breakdowns that can be associated with smaller less durable competitor options.

SEE FULL PRODUCT SPECS ON PAGE 38

[snopusher.com](http://snopusher.com)

Pro-Tech Manufacturing

27



# PRODUCT FEATURES

## SNOW GONE. GAME ON!



The Pro-Tech Turf Pusher is the first snow pusher designed specifically for clearing sports turf fields. This lightweight but durable snow pusher smoothly glides over turf and field covers. Customers can now keep their sports turf fields operational at all times during the winter.

The Turf Pusher takes seconds to connect, saving time and minimizing labor associated with hydraulics and couplers. Multiple connection types are also available (Toro, Bobcat, John Deere, etc.). Unlike conventional plows and brooms, the Turf Pusher has no moving parts, which minimizes or can even eliminate the time spent repairing equipment.

- Clear snow from turf sports fields
- Minimizes displacement of crumb rubber
- Easy to operate and maintain
- Eliminate game or practice delays caused by snow
- Multiple connection types available

## ATHLETES LOVE THE TURF PUSHER

Not every high school or college has the proper equipment to clear snow from their sports field, which often results in players picking up shovels. The Turf Pusher allows athletes to focus on their sport instead of their shoveling technique.

**All Star Athlete**  @AllStarAthlete • 2h  
Is it possible to be in love with a snow plow?

# TURF PUSHER



## SAME TURF PUSHER. DIFFERENT CONNECTIONS.

In 2017, the Turf Pusher will feature a pin-on coupler design that will allow customers to adapt their Turf Pusher to various machines.

AVAILABLE FOR:   





# WEAR PARTS

Changing wear parts should not be a regular occurrence and can be especially unpleasant during the middle of a winter storm. That's why Pro-Tech Sno Pushers come with the most durable and reliable wear parts in the industry. However, even the best parts will need to be eventually changed. Here are some of the most common wear parts:



Pro-Tech uses an SBR extruded rubber, which demands the highest quality ingredients. With a durometer of 65 and a 2000 tensile strength it is the perfect blend of hardness, flexibility, and durability. The rubber does not curl or chatter. Other manufacturers or after market suppliers tend to focus on rubber hardness alone, which can limit the amount of flex the rubber has, which actually reduces the ability of the rubber to effectively clear snow.



Our standard wear shoes are made from abrasion resistant steel and are heat treated with a process that hardens the material, meaning the hardness of the shoe goes deep into the core of the material, rather than remaining at the surface. Our standard wear shoes are also impact resistant, meaning that have an elasticity factor which allows them to flex on impact without breaking or cracking.



The blue poly urethane that Pro-Tech uses for the trip-edge on our Steel Edge Sno Pushers is significantly cheaper to maintain and can have a much longer life than the standard springs, levers, and other components found on other trip-edge containment plows. The poly hinge comes in 24" sections that are easier and safer to replace than many competitor options.



The 24 inch sectioned cutting edges are made of Quard abrasion resistant steel and work in tandem with the poly suspension and wear shoes to contour to surface variations. The steel cutting edge's hardness and purity is ultrasonically tested to ensure the plate has no imperfections.

FOR A COMPLETE LISTING OF THE WEAR PARTS FOR YOUR MODEL SNO PUSHER TURN TO PAGE 41.

# SPECIALTY PARTS

Pro-Tech offers several specialty parts for Sno Pushers that can help operators address specific lot conditions and situations. Access Pro-Tech's parts finder on [snopusher.com/parts](https://snopusher.com/parts) to identify which parts are available for your Sno Pusher.



Our Super Duty shoes are blue and made from Quard 550® (the same bullet-proof material used in armored vehicles) and are nearly double the Brinell rating of our standard shoes. They are also through-hardened to ensure a consistent hardness and even wear.

- Made from Quard 550®
- Provides the highest wear characteristics and longest life
- Double the Brinell rating of our standard wear shoes



Our Poly Shoe is a polycarbonate (UHMW) padded shoe, which is ideal for surfaces too sensitive for steel shoes. The poly material is slick and minimizes friction and wear to the plowing surface. The pads are replaceable.



Our self-leveling shoes are designed to keep your Sno Pushers level to the plowing surface with an extra 16 inches of length. Keeping the unit level will result in a prolonged cutting edge and shoe life. Self-leveling shoes are available in both standard and Super Duty material.

- Keeps the Sno Pusher level and balanced, creating an even amount of pressure throughout the length of the shoe
- Eliminates excess down pressure on the back of the shoe
- Increased surface area actually increases the lifespan of the shoe



Running your Sno Pusher level ensures optimal performance of the unit and the longest possible life of your wear shoes and rubber cutting edge. Pro-Tech's level gauge mounts to the Sno Pusher's sideplate and is an easy and quick way for operators to know if they are running their Sno Pusher level.



# CUSTOM SNO PUSHER OPTIONS

Pro-Tech has a skilled team of engineers, designers, and fabricators that can work with you to customize your Sno Pusher.



Pro-Tech can fabricate a number of custom connections for a wide variety of prime movers. Some that we have provided in the past include; Volvo, JRB, CAT IT, ACS, Balderson, CAT Fusion, and the new Pro-Tech Bucket Clamp. Pro-Tech can also build Sno Pushers with a “blank back” design, which allows customers to install their own connection.



Pro-Tech offers customers a variety of colors to paint your Sno Pusher. Red, blue, white, green, even pink!



Choose to have a set of our specialty shoes added to your custom Sno Pusher.



Take your company branding to the next level, even number your fleet using Pro-Tech's sideplate plasma cutting services. Pro-Tech engineers will work with you to decide on the best design to help promote your brand.

# ADDITIONAL PRODUCTS

Pro-Tech offers several snow and ice management products outside of our standard product line. For a complete list of additional products call (844) 204-8211.



## FORKLIFT SNO PUSHER

Repurpose your company's forklift for snow removal with the rubber edge Forklift Sno Pusher. This Sno Pusher is available for forklifts in widths from 6' to 14'. The fork receivers are 4" x 12" and protrude through the moldboard 17.5". The Forklift Sno Pusher is built on the same chassis as our backhoe models and provides the same features and benefits as our standard Sno Pusher.



## SNO BASKET

The Sno Basket is a light weight bucket that allows for easy hauling of snow. The slots on the bucket allow customers to compress and collect the maximum amount of snow while also allowing water to escape when moving slushy snow. The Sno Basket provides much greater capacity than a standard bucket and is built Pro-Tech tough with fully welded construction. Multiple connection types available. Contact Pro-Tech for more information.





**PRO-TECH<sup>®</sup>**  
**SNO PUSHER**

**“PRO-TECH MAKES THE  
BEST SNOW FIGHTING  
ATTACHMENTS THAT YOU  
CAN BUY. WE RELY ON  
THEM EVERY STORM  
AND THEY HAVE NEVER  
LET US DOWN.”**

**— KEY LANDSCAPE & IRRIGATION  
KEENE, NH**





# PRO-TECH GEAR

Show some Pro-Tech pride and weather the elements in style. Pro-Tech's online merchandise store offers hats, jackets, t-shirts and more.

Visit [snopusher.com](http://snopusher.com) to make your selection today.

## TAKE A STAND

Each winter Pro-Tech takes the time to recognize snow and ice professionals or as we call them “Sno Fighters” for the service they provide to their communities. Their dedication and commitment to making our lives easier during the winter is recognized through weekly contests involving customer photograph and video submissions.

Visit [snofighters.com](http://snofighters.com) to see this past season's submissions, winners, and special “Thank You” video from Pro-Tech.

#SNOFIGHTERS





# PRODUCT SPECIFICATIONS

## RUBBER EDGE SNO PUSHER

LOADER MODEL: Connection Type: Quick Change Attachment System (Post Style)								
	SP10L	SP12L	SP14L	SP16L	SP18L	SP20L	SP24L	SP30L
Width:	10'	12'	14'	16'	18'	20'	24'	30'
Approx. Weight:	2100lb	2200lb	2350lb	2500lb	2750lb	2900lb	3150lb	3400lb
Snow Capacity:	12yd	15yd	18yd	21yd	23yd	26yd	31yd	38yd

PRIME MOVER:								
HP Range:	75-100hp	100-110hp	120-125hp	125-135hp	140-170hp	170-200+hp	170-200+hp	170-200+hp
Weight Range:	13-17,500lb	13-17,500lb	16-20,000lb	25-30,500lb	30,000lb	40,000lb	40,000lb	40,000lb
Bucket Capacity	1.25yd	1.5yd	2yd	3yd	3.25+yd	3.25+yd	3.25+yd	3.25+yd

COMPACT WHEEL LOADER MODEL:			
Connection Type: Reinforced universal quick coupler			
	SP08M	SP10M	SP12M
Width	8'	10'	12'
Approx Weight	1,150 lbs	1,300 lbs	1,450 lbs
Snow Capacity	7yd	9yd	11yd

PRIME MOVER:			
HP Range	60-100hp	60-100hp	80-120hp
Weight Range	12-20,000 lbs	12-20,000 lbs	16-20,000 lbs
Bucket Capacity	.75-2.5 yd	.75-2.5yd	1.2-2.5yd

SKIDSTEER MODEL: Connection Type: Universal quick coupler (Post style connection available)				
	SP06S	SP08S	SP10S	SP12S
Width:	6'	8'	10'	12'
Approx. Weight:	650lb	800lb	950lb	1100lb
Snow Capacity:	5yd	7yd	9yd	11yd

PRIME MOVER:				
HP Range:	36-46hp	46-70hp	70+hp	85+hp <i>(Call to confirm)</i>
Weight Range:	5-5,400lb	5.5-7,000lb	7-8,000lb	<i>Call to Confirm</i>

COMPACT TRACTOR MODEL: Connection Type: Quick Change Attachment System (Universal quick coupler available)					
	SP06C	SP07C	SP08C	SP09C	SP10L
Width:	6'	7'	8'	9'	10'
Approx. Weight:	375lb	430lb	480lb	530lb	585lb
Snow Capacity:	3yd	3.5yd	4yd	4.5yd	5yd

PRIME MOVER:					
HP Range:	30hp	35hp	40hp	45hp	50hp
Weight Range:	2,500lb	3,000lb	4,000lb	4,000lb	4,500lb

## STEEL EDGE SNO PUSHER

LOADER MODEL: Attachment Type: Quick Change Attachment System (fits any machine)					
	IS10L	IS12L	IS14L	IS16L	IS18L
Width:	10'	12'	14'	16'	18'
Approx. Weight:	2300lb	2400lb	2550lb	2700lb	2950lb
Snow Capacity:	13yd	15yd	18yd	21yd	23yd

PRIME MOVER:					
HP Range:	75-100hp	100-110hp	120-125hp	125-135hp	140-170hp
Weight Range:	13-17,500lb	13-17,500lb	16-20,000lb	25-30,500lb	30,000lb
Bucket Capacity	1.25yd	1.5yd	2yd	3yd	3.25+yd

BACKHOE MODEL: Attachment Type: Quick Change Attachment System (fits any machine)			
	IS10B	IS12B	IS14B
Width:	10'	12'	14'
Approx. Weight:	1500lb	1650lb	1800lb
Snow Capacity:	10yd	12yd	14yd

PRIME MOVER:			
HP Range:	50-80hp	70-90hp	85-100hp
Weight Range:	12-15,000lb	15,000lb	16-18,000lb
Backhoe Type:	2x4	4x4	4x4

SKIDSTEER MODEL: Attachment Type: Universal Skidsteer Coupler (Quick change attachment available)				
	IS06S	IS08S	IS10S	IS12S
Width:	6'	8'	10'	12'
Approx. Weight:	800lb	950lb	1100lb	1250lb

PRIME MOVER:				
Snow Capacity:	6yd	8yd	10yd	12yd
HP Range:	36-46hp	46-70hp	70+hp	85+hp <i>(Call to confirm)</i>
Weight Range:	5-5,400lb	5.5-7,000lb	7-8,000lb	<i>Call to Confirm</i>

## PULLBACK SNO PUSHER

SKIDSTEER MODEL: Attachment Type: Universal Skidsteer Coupler (Quick change attachment available)				
	PB06S	PB08S	PB10S	PB12S
Width:	6'	8'	10'	12'
Approx. Weight:	820lb	975lb	1130lb	1280lb
Snow Capacity:	6yd	7yd	9yd	11yd

PRIME MOVER:				
HP Range:	<i>Call to Confirm</i>	70+hp	85+hp	<i>Call to Confirm</i>
Weight Range:		5.5-7,000lb	7-8,000lb	



FOLDOUT SNO PUSHER

LOADER MODEL: Attachment Type: Quick Change Attachment System (fits any machine)			
	FP14L	FP16L	FP18L
Width:	14'	16'	18'
Approx. Weight:	3450lb	3650lb	3850lb
Snow Capacity:	19yd	21yd	23yd
Machine Type:	1.5yd Loader	2.5yd Loader	3.5yd Loader

SUPER DUTY SNO PUSHER

LOADER MODEL: Attachment Type: Quick Change Attachment System (fits any machine)								
	SD10L	SD12L	SD14L	SD16L	SD18L	SD20L	SD24L	SD30L
Width:	10'	12'	14'	16'	18'	20'	24'	30'
Approx. Weight:	2800lb	3300lb	3800lb	4300lb	4800lb	5400lb	6400lb	3400lb
Snow Capacity:	19yd	23yd	27yd	31yd	35yd	39yd	47yd	57yd
Machine Type:	4+yd	4.5+yd	4.5+yd	4.5+yd	4.5+yd	4.5+yd	4.5+yd	4.5+yd

LOW PROFILE ANGLE SNO PUSHER

LOADER MODEL: Attachment Type: Quick Change Attachment System (fits any machine)	
	LP18L
Width:	18'
Approx. Weight:	2420lb
Machine Type:	2+yd
HP Range:	120+hp
Weight Range	16,500lb

V PLOW SNO PUSHER

SKIDSTEER MODEL: Attachment Type: Universal Skidsteer Coupler				
	VP40S	VP48S	VP60S	VP72S
Cut Width:	40"	48"	60"	72"
Approx. Weight:	228lb	465lb	510lb	582lb
Recommended HP:	25hp	40-60hp	60-80hp	80+hp
Connection Type:	mini	universal	universal	universal

TURF PUSHER

Connection Type: Turf Pusher features pin-on coupler design for skidsteers, compact tractors, and UTV's. Speak with Pro-Tech or dealer for more information.		
	SP06T	SP08T
Width:	6'	8'
Approx. Weight:	318lb	408lb
Snow Capacity:	3yd	4yd
HP Range:	30hp	40hp

FOR MORE PRODUCT SPECIFICATIONS PLEASE VISIT [SNOPUSHER.COM](#) OR CALL (844) 204-8211.

REPLACEMENT PARTS

RUBBER EDGE SNO PUSHER

LOADER MODEL:			
WEAR SHOES	WEAR SHOE HARDWARE KITS	POLY (UHMW) WEAR PADS	OPTIONS
Standard RP2010	Hardware Kit HW1600	Poly Wear Pad RP2130	Binder Kit RP1000
Super Duty RP2050			Level Gauge RP1200
Poly (UHMW) RP2070			Yellow Acrylic Enamel (1 qt) RP8020
Self Leveling RP2090			Yellow Acrylic Enamel (1 gal) RP8021
Self Leveling Super Duty RP2110			Primer (1 qt) RP8022
			Primer (1 gal) RP8023
RUBBER CUTTING EDGE	CUTTING EDGE HARDWARE KITS	HOLD DOWNS	
10 ft Model RP2202	10 ft Model HW1005	10 ft Model RP2482	
12 ft Model RP2203	12 ft Model HW1006	12 ft Model RP2483	
14 ft Model RP2204	14 ft Model HW1007	14 ft Model RP2484	
16 ft Model RP2205	16 ft Model HW1008	16 ft Model RP2485	
18 ft Model RP2206	18 ft Model HW1009	18 ft Model RP2486	
20 ft Model RP2207	20 ft Model HW1010	20 ft Model RP2487	
24 ft Model RP2208	24 ft Model HW1011	24 ft Model RP2488	
30 ft Model RP2209	30 ft Model HW1012	30 ft Model RP2489	

BACKHOE MODEL:			
WEAR SHOES	WEAR SHOE HARDWARE KITS	POLY (UHMW) WEAR PADS	OPTIONS
Standard RP2011	Hardware Kit HW1650	Poly Wear Pads RP2131	Binder Kit RP1001
Super Duty RP2051			Level Gauge RP1200
Poly (UHMW) RP2071			Yellow Acrylic Enamel (1 qt) RP8020
Self Leveling RP2091			Yellow Acrylic Enamel (1 gal) RP8021
Self Leveling Super Duty RP2111			Primer (1 qt) RP8022
			Primer (1 gal) RP8023
RUBBER CUTTING EDGE	CUTTING EDGE HARDWARE KITS	HOLD DOWNS	
10 ft Model RP2202	10 ft Model HW1005	10 ft Model RP2482	
12 ft Model RP2203	12 ft Model HW1006	12 ft Model RP2483	
14 ft Model RP2204	14 ft Model HW1007	14 ft Model RP2484	

COMPACT WHEEL LOADER MODEL:			
WEAR SHOES	WEAR SHOE HARDWARE KITS	POLY (UHMW) WEAR PADS	OPTIONS
Standard RP2011	Hardware Kit HW1650	Poly Wear Pad RP2131	Level Gauge RP1200
Super Duty RP2051			Yellow Acrylic Enamel (1qt) RP8020
Poly (UHMW) RP2071			Yellow Acrylic Enamel (1 gal) RP8021
Self Leveling RP2091			Primer (1 qt) RP8022
Self Leveling Super Duty RP2111			Primer (1 gal) RP8023
RUBBER CUTTING EDGE	CUTTING EDGE HARDWARE KITS	HOLD DOWNS	
8 ft Model RP2201	8 ft Model HW1251	8 ft Model RP2481	
10 ft Model RP2202	10 ft Model HW1005	10 ft Model RP2482	
12 Model RP2203	12 Model HW1006	12 Model RP2483	



RUBBER EDGE SNO PUSHER (CONTINUED)

SKIDSTEER MODEL:				
WEAR SHOES	WEAR SHOE HARDWARE KITS	POLY (UHMW) WEAR PADS	OPTIONS	
Standard   RP2011	Hardware Kit   HW1650	Poly Wear Pad   RP2131	Level Gauge   RP1200	
Super Duty   RP2051			Yellow Acrylic Enamel (1 qt)   RP8020	
Poly (UHMW)   RP2071			Yellow Acrylic Enamel (1 gal)   RP8021	
Self Leveling   RP2091			Primer (1 qt)   RP8022	
Self Leveling Super Duty   RP2111			Primer (1 gal)   RP8023	
RUBBER CUTTING EDGE	CUTTING EDGE HARDWARE KITS	HOLD DOWNS		
6 ft Model   RP2250	6 ft Model   HW1150	6 ft Model   RP2500		
8 ft Model   RP2252	8 ft Model   HW1152	8 ft Model   RP2502		
10 ft Model   RP2254	10 ft Model   HW1154	10 ft Model   RP2504		
12 ft Model   RP2255	12 ft Model   HW1155	12 ft Model   RP2505		

COMPACT TRACTOR MODEL:

WEAR SHOES	WEAR SHOE HARDWARE KITS	OPTIONS		
Standard   RP2012	Hardware Kit   HW1750	Binder Kit   RP1002	Level Gauge   RP1200	
		Yellow Acrylic Enamel (1 qt)   RP8020		
		Yellow Acrylic Enamel (1 gal)   RP8021		
		Primer (1 qt)   RP8022		
		Primer (1 gal)   RP8023		
RUBBER CUTTING EDGE	CUTTING EDGE HARDWARE KITS	HOLD DOWNS		
6 ft Model   RP2250	6 ft Model   HW1150	6 ft Model   RP2500		
7 ft Model   RP2251	7 ft Model   HW1151	7 ft Model   RP2501		
8 ft Model   RP2252	8 ft Model   HW1152	8 ft Model   RP2502		
9 ft Model   RP2253	9 ft Model   HW1153	9 ft Model   RP2503		
10 ft Model   RP2254	10 ft Model   HW1154	10 ft Model   RP2504		

STEEL EDGE SNO PUSHER

LOADER, BACKHOE & SKIDSTEER MODELS:				
WEAR SHOES	POLY SUSPENSION (ONE PIECE)	POLY SUSPENSION HOLD DOWNS	OPTIONS	
Left   RP2803 (Loader)	RP2795 (Loader)	Hold Down Left   RP2799 (Loader)	Binder Kit   RP1000 (Loader)	
Right   RP2804 (Loader)	RP2798 (Backhoe / Skidsteer)	Hold Down Right   RP2800 (Loader)	Binder Kit   RP1001 (Backhoe)	
Left   RP2805 (Backhoe / Skidsteer)		Hold Down Left   RP2801 (Backhoe / Skidsteer)	Level Gauge   RP1200	
Right   RP2806 (Backhoe / Skidsteer)		Hold Down Right   RP2802 (Backhoe / Skidsteer)	Yellow Acrylic Enamel (1 qt)   RP8020	
			Yellow Acrylic Enamel (1 gal)   RP8021	
			Primer (1 qt)   RP8022	
			Primer (1 gal)   RP8023	
STEEL EDGE (ONE SECTION)	HOLD DOWN	CUTTING EDGE HARDWARE KITS	TENSIONER	HINGE (ONE SECTION)
One Section   RP2790	Hold Down Loader   RP2796	Hardware Kit   HW1302	RP2789	RP2788

PULLBACK SNO PUSHER

SKIDSTEER MODEL:				
WEAR SHOES	WEAR SHOE HARDWARE KITS	POLY (UHMW) WEAR PADS	PULLBACK KITS	
Standard   RP2011	Hardware Kit   HW1650	Poly Wear Pad   RP2131	6 ft Model   RP1201	
Pullback Shoe   RP2013	Shoe Kit (Pullback Shoe)   HW1800	Poly Wear Pad (Pullback Shoe)   RP2133	8 ft Model   RP1202	
Super Duty   RP2051			10 ft Model   RP1203	
Poly (UHMW)   RP2071			12 ft Model   RP1204	
Poly Shoe (UHMW) Pullback Shoe   RP2073				
Self Leveling   RP2091				
Self Leveling Super Duty   RP2111				

PULLBACK SNO PUSHER (CONTINUED)

SKIDSTEER MODEL (CONTINUED):				
RUBBER CUTTING EDGE	CUTTING EDGE HARDWARE KITS	HOLD DOWNS		OPTIONS
6 ft Model   RP2250	6 ft Model   HW1150	6 ft Model   RP2500	Level Gauge   RP1200	
8 ft Model   RP2252	8 ft Model   HW1152	8 ft Model   RP2502	Yellow Acrylic Enamel (1 qt)   RP8020	
10 ft Model   RP2254	10 ft Model   HW1154	10 ft Model   RP2504	Yellow Acrylic Enamel (1 gal)   RP8021	
12 ft Model   RP2255	12 ft Model   HW1155	12 ft Model   RP2505	Primer (1 qt)   RP8022	
			Primer (1 gal)   RP8023	

FOLDOUT SNO PUSHER

LOADER MODEL:				
WEAR SHOES	WEAR SHOE HARDWARE KITS	POLY (UHMW) WEAR PADS		
Standard   RP2010	Hardware Kit   HW1600	Poly Wear Pad   RP2130		
Super Duty   RP2050				
Poly (UHMW)   RP2070				
Self Leveling   RP2090				
Self Leveling Super Duty   RP2110				

RUBBER CUTTING EDGE	CUTTING EDGE HARDWARE KITS	HOLD DOWNS		OPTIONS
14 ft Model   RP2361	14 ft Model   HW1101	14 ft Model   RP2421	Binder Kit   RP1004	
16 ft Model   RP2362	16 ft Model   HW1102	16 ft Model   RP2422	Level Gauge   RP1200	
18 ft Model   RP2363	18 ft Model   HW1103	18 ft Model   RP2423	Yellow Acrylic Enamel (1qt)   RP8020	
20 ft Model   RP2364	20 ft Model   HW1104	20 ft Model   RP2424	Yellow Acrylic Enamel (1 gal)   RP8021	
			Primer (1 qt)   RP8022	
			Primer (1 gal)   RP8023	

SUPER DUTY SNO PUSHER

LOADER MODEL:				
WEAR SHOES	WEAR SHOE HARDWARE KITS			
Standard Super Duty   RP2056	Hardware Kit   HW1950			
RUBBER CUTTING EDGE	CUTTING EDGE HARDWARE KITS	HOLD DOWNS		OPTIONS
10 ft Model   RP2290	10 ft Model   HW1200	10 ft Model   RP2515	Binder Kit   RP1003	
12 ft Model   RP2291	12 ft Model   HW1201	12 ft Model   RP2516	Level Gauge   RP1200	
14 ft Model   RP2292	14 ft Model   HW1202	14 ft Model   RP2517	Yellow Acrylic Enamel (1 qt)   RP8020	
16 ft Model   RP2293	16 ft Model   HW1203	16 ft Model   RP2518	Yellow Acrylic Enamel (1 gal)   RP8021	
18 ft Model   RP2294	18 ft Model   HW1204	18 ft Model   RP2519	Primer (1 qt)   RP8022	
20 ft Model   RP2295	20 ft Model   HW1205	20 ft Model   RP2520	Primer (1 gal)   RP8023	
24 ft Model   RP2296	24 ft Model   HW1206	24 ft Model   RP2521		
30 ft Model   RP2297	30 ft Model   HW1207	30 ft Model   RP2522		

LOW PROFILE SNO PUSHER

LOADER MODEL:				
WEAR SHOES	RUBBER CUTTING EDGE	WEAR SHOE HARDWARE KITS	OPTIONS	HOLD DOWN
Standard   RP2010	18 ft Model   RP2333	Hardware Kit   HW1850	Binder Kit   RP1000	Hold Down   RP2403
Standard Rear Shoe   RP2014			Level Gauge   RP1200	
Super Duty   RP2050			Yellow Acrylic Enamel (1 qt)   RP8020	
			Yellow Acrylic Enamel (1 gal)   RP8021	
			Primer (1 qt)   RP8022	
			Primer (1 gal)   RP8023	





Pro-Tech Manufacturing and Distribution, Inc.

711 West Avenue  
Rochester, NY 14611

(844) 204-8211

[snopusher.com](http://snopusher.com)